


BOBCAT®
PART NUMBER: WN-6686077
FEATURES: Radiator, 15.88kg
APPLICATIONS: S150, S150G, S160, S160G, S175, S185, S205, T180, T180G, T190, TB85, TB90, TB100, TB110, TB120



CASE®
PART NUMBER: WN-131751A2
FEATURES: Radiator, 6 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 28 1/8", Width: 28 1/2"), 47.17kg
APPLICATIONS: 7240 s/n JJA0064978-, 7250 s/n JJA0064978-, 8940



CASE®
PART NUMBER: WN-301877A2
FEATURES: Radiator, 3 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 19 1/4", Width: 20 1/4", Depth: 2"), Fill Neck Height: 3/4", Inlet: 1 1/4", Outlet: 2 1/4", 15.42kg
APPLICATIONS: (1840, 1845C) All With Diesel Engine



CASE®
PART NUMBER: WN-A165922
FEATURES: Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 23 3/8", Width: 22 3/4", Depth: 2 1/8"), 20.98kg
APPLICATIONS: 2090, 2094, 2290, 2294



CASE®
PART NUMBER: WN-A171080
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 19.5", Width: 20.25"), 16.33kg
APPLICATIONS: 480E, 480E-LL, 480F, 480F-LL, 580SE, 584E, 585E, 586E, 590E



CASE®
PART NUMBER: WN-A172038
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 19.5", Width: 20"), 12.70kg
APPLICATIONS: 580, 580K, 580K-I, 580K-III, 580SK




CASE®
PART NUMBER: WN-A184365
FEATURES: Radiator, 5 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 26 1/2", Width: 27 1/2"), 31.23kg
APPLICATIONS: 2390, 2394, 2590, 2594, 3294, 3394, 3594




CASE®
PART NUMBER: WN-A39344
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 17.75", Width: 18.25"), 31.23kg
APPLICATIONS: 430CK, 480B Construction King, 480CK, 530CK Petrol/Diesel Standard, 580B s/n -8685801 Standard With Mechanical Shuttle/Hydraulic



CASE®
PART NUMBER: WN-A39345
FEATURES: Radiator With Oil Cooler Fitting , 3 Rows Of Tubes, Core Size (Height: 17.75", Width: 18.25"), 13.32kg
APPLICATIONS: 530CK Petrol With Torque Converter/Diesel With Case-O-Matic, 580B Petrol & Diesel With Power Shuttle, 580CK s/n -8685801 Power Shuttle, B Series Diesel Engine



CASE®
PART NUMBER: WN-A66330
FEATURES: Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 23 3/4", Width: 22 1/4", Depth: 3 1/2"), 21.32kg
APPLICATIONS: 1070, 1170, 1175, 1270, 1370, 970 Petrol/Diesel Engine



CASE®
PART NUMBER: WN-D81055
FEATURES: Radiator, 3 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 19.75", Width: 19.5"), 13.15kg
APPLICATIONS: 480D, 480LL, 580D, 580SD, 584D, 585D, 586D, 1845 s/n 9855228-, 1845B, 1845S




CASE®
PART NUMBER: WN-D89103
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 18", Width: 17.75"), 13.15kg
APPLICATIONS: 580C With Shroud




CASE®
PART NUMBER: WN-D89104
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 17 1/2", Width: 18 1/4", Depth: 2"), 13.23kg
APPLICATIONS: 480C With Shroud



INTERNATIONAL®
PART NUMBER: WN-104594C2
FEATURES: Radiator, 3 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height : 24", Width: 22.25")
APPLICATIONS: (786, 886), All With German Diesel Engine



INTERNATIONAL®
PART NUMBER: WN-386860R91
FEATURES: Radiator, 5 Row, 8 Fins Per Inch, Core Size (Height: 23 1/4", Width: 19 1/8", Depth: 3 1/4"), 17.08kg
APPLICATIONS: 806 Diesel, 826 Petrol, 856 Diesel And LPG, 1026, 1206, 1256, 1456, 2806, 2856



INTERNATIONAL®
PART NUMBER: WN-71611C1
FEATURES: Radiator, 6 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 23.75", Width: 22.5", Depth: 4"), 24.41kg
APPLICATIONS: HYDRO 100, HYDRO 186, HYDRO 187, 1066, 1086, 1466, 1486, 1566, 1586, 766, (886, 986) Needs To Be Modified

OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



To order parts, call James on 0401709850 or email james@metismachinery.com.au

**CASE-IH®/IH®**

PART NUMBER: WN-84673C6
FEATURES: Radiator, 4 Rows Of Tubes, Core Size (Height: 19.5", Width: 17.5"), 14.38kg
APPLICATIONS: (585, 595, 685, 695, 885, 895) All With Air Conditioning

**CASE-IH®/IH®**

PART NUMBER: WN-84524C93
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 18.5", Width: 18"), 11.34kg
APPLICATIONS: HYDRO 84, 248, 258, 268, 385 With 2WD, 484, 485, 584 s/n 8271-, (585, 685, 885) Without Air Conditioning, 684, 784, 884. For applications with hinged swing out oil cooler. Radiator does not include side mounting brackets.

**CASE-IH®**


PART NUMBER: WN-104753A1
FEATURES: Radiator, 5 Rows Of Tubes, Core Size (Height: 19.5", Width: 20")
APPLICATIONS: 5120, 5130, 5140, 5220, 5230, 5240, 5250

**CASE-IH®**

PART NUMBER: WN-A190663
FEATURES: Radiator, 6 Rows Of Tubes, Core Size (Height: 26", Width: 27.5"), 31.75kg
APPLICATIONS: 7110, 7120, 7130, 7140, (7210, 7220, 7230, 7240) All s/n -JJA0064978

**CASE-IH®**

PART NUMBER: WN-194951A1
FEATURES: Radiator, 7 Rows of Tubes, 5 Fins Per Inch, Core Size (Height: 36.875", Width: 34"), 79.38kg
APPLICATIONS: 2188 s/n JJC0191483-, 2366 s/n -JJC0255700, 2388 s/n -JJC0273000

**FORD®-NH®**

PART NUMBER: WN-82847503
FEATURES: Radiator, 5 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 24.875", Width: 21.875"), 24.82kg
APPLICATIONS: TW10, TW15 1983-, TW20, TW25, TW30, (TW35, TW5, 8530, 8630, 8830) After 1983, 8730

**FORD®**

PART NUMBER: WN-8N8005
FEATURES: Radiator, 3 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 17.062", Width: 15.062"), Cast Iron Bottom Neck, 9.98kg
APPLICATIONS: 2N, 8N, 9N

**FORD®**

PART NUMBER: WN-957E8005
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 15", Width: 13.5"), 7.26kg
APPLICATIONS: DEXTA

**FORD®**

PART NUMBER: WN-C5NN8005AB
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 17.5", Width: 15.625"), 9.53kg
APPLICATIONS: NAA Jubilee, (2000, 4000) With 4 Cylinder Engine, 2031, 2110TR, 2111, 2120, 2130, 2131, 4000, 4110TR, 4120, 4121, 4131, 501, 541, 600, 601, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 741, 771, 800, 801, 811, 820, 821, 840, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951

**FORD®**

PART NUMBER: WN-C7NN8005E
FEATURES: Radiator, 4 Rows Of Tubes, Core Size (Height: 18", Width: 17.5"), 9.98kg
APPLICATIONS: 4100, 5000, 5100, 5600, 6600

**FORD®**

PART NUMBER: WN-D8NN8005PA
FEATURES: Radiator With Oil Cooler On Grille Side, 4 Rows Of Tubes, Core Size (Height: 16.5", Width: 17.5"), 10.61kg
APPLICATIONS: (2000 With Oil Cooler, 2100, 2110, 2120, 2300, 2310, 3000, 3055, 3100, 3110, 3120, 3150, 3190, 3300, 3310, 3330, 3400, 4100, 4400) All After 1965. Incorporates Oil Cooler, can be plugged for non oil cooler applications, Oil Cooler Ports forward facing - opposite side to water hose outlets. Will NOT suit 4000 Series With Oil Cooler

**FORD®-NH®**

PART NUMBER: WN-D8NN8005SB
FEATURES: Radiator With Oil Cooler, 4 Rows Of Tubes, Core Size (Height: 18", Width: 17"), 10.74kg
APPLICATIONS: (345C, 445C) 12-1988 To 12-1990, (445, 445A, 535, 545) With Torque Converter, (4500, 5000, 5100, 5200) After 1965, (5600, 6600, 6600C) After 1975

**FORDSON®**


PART NUMBER: WN-E1ADKN8005E
FEATURES: Radiator, 3 Rows Of Tubes, Core Size (Height: 19", Width: 16.75"), 10.43kg
APPLICATIONS: Major, Power Major

**FORD®-NH®**

PART NUMBER: WN-E7NN8005BA
FEATURES: Radiator With Oil Cooler, 5 Rows Of Tubes, Core Size (Height: 17.75", Width: 18"), 14.97kg
APPLICATIONS: (5110, 6410, 7410) Without A/C, 5610, 6610, 6610 With or Without A/C, 6810, 7610 Without A/C & Without Viscous Fan

**FORD®-NH®**

PART NUMBER: WN-E7NN8005DA
FEATURES: Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 17.25", Width: 19.5"), 15.01kg
APPLICATIONS: (555C, 555D, 655C) All Without Noise Control 11/1988-8/1993



OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



To order parts, call James on 0401709850 or email james@metismachinery.com.au



JOHN DEERE®

PART NUMBER: WN-AH124728

FEATURES: Radiator, 5 Rows Of Tubes, 5 Fins Per Inch, Core Size (Height: 32¾", Width: 26¾", Depth: 3¾"), 29.94kg

APPLICATIONS: 7700, 7720, 7722, 8820



JOHN DEERE®

PART NUMBER: WN-AL115731

FEATURES: Radiator, 3 Rows Of Tubes, 8 Fins Per Inch, 14.97kg

APPLICATIONS: SE6010, SE6110, SE6210, SE6310, SE6410, 6010, 6100, 6110, 6110L, 6200, 6200L, 6210, 6210L, 6310, 6310L, 6310S, 6400SP, 6405, 6410L




JOHN DEERE®

PART NUMBER: WN-AL115732

FEATURES: Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 20¼", Width: 20", Depth: 2½"), Inlet: 2¾" Outlet: 2¾", 15.42kg

APPLICATIONS: SE6010, SE6110, SE6210, SE6310, SE6410, 6010, 6100, 6110, 6110L, 6200, 6200L, 6210, 6210L, 6300, 6300L, 6310, 6310L, 6400, 6400L, 6405, 6410, 6410L, 6410S, 6500, 6500L, 6510, 6510L, 6510S



JOHN DEERE®

PART NUMBER: WN-AL25255

FEATURES: Radiator, 5 Rows Of Tubes, Core Size (Height: 20", Width: 14"), 13.15kg

APPLICATIONS: 1830, (2020, 2030) European, 2120, 2130



JOHN DEERE®

PART NUMBER: WN-AL37566

FEATURES: Radiator, 4 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 24.375", Width: 18.5"), 16.06kg

APPLICATIONS: 2940, 2950, 3040, 3140



JOHN DEERE®

PART NUMBER: WN-AL37568

FEATURES: Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 20.625", Width: 18.875"), 14.48kg

APPLICATIONS: (1640, 1840, 2040) s/n -429999, 1641F, 2040S, 2140, 2350, 2550, 2750, , 1140F, 1640F, 2040F, 1840F, 2141, 2541, 2941, 1641, 1641F



JOHN DEERE®

PART NUMBER: WN-AL39290

FEATURES: Radiator, 4 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 19", Width: 14")

APPLICATIONS: 1040, 1140, (1350, 1550, 1750, 1850, 2155) s/n -621999, (2040, 2150, 2240, 2255) s/n 350001-, 840, 940



JOHN DEERE®

PART NUMBER: WN-AL56372

FEATURES: Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 20.625", Width: 18.5"), 15.22kg

APPLICATIONS: (2550, 2355, 2450, 2555, 2650, 2650N, 2755, 2850, 2855N) s/n -669788



JOHN DEERE®

PART NUMBER: WN-AL66766

FEATURES: Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 23.875", Width: 19")

APPLICATIONS: 2955 Without Cab s/n 660813- With Cab s/n 664560-, 3050, 3055, 3155 s/n 664560-, 3255, 3350, 3650



JOHN DEERE®

PART NUMBER: WN-AN190887

FEATURES: Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 26", Width: 29¼")

APPLICATIONS: 9940, 9950, 9960 s/n -4000



JOHN DEERE®

PART NUMBER: WN-AR46016

FEATURES: Radiator, 3 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 22.25", Width: 18.75"), 13.54kg

APPLICATIONS: 3020 (Petrol, Diesel and LPG)



JOHN DEERE®

PART NUMBER: WN-AR49454

FEATURES: Radiator, 4 Rows Of Tubes, 9 Fins Per Inch, Core Size (Height: 24.5", Width: 20"), 16.54g

APPLICATIONS: (4000 s/n 201000-, 4020) Petrol/Diesel



JOHN DEERE®

PART NUMBER: WN-AR61879

FEATURES: Radiator, 5 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 27.5", Width: 20.75"), 23.36kg

APPLICATIONS: 4430



JOHN DEERE®

PART NUMBER: WN-AR61880

FEATURES: Radiator, 4 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 25.5", Width: 19.5")

APPLICATIONS: (4230, 4276, 6414, 6141DT) Without Air Conditioning



JOHN DEERE®

PART NUMBER: WN-AR61883

FEATURES: Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 25.75", Width: 20"), 19.05g

APPLICATIONS: 4230 With Air Conditioning



JOHN DEERE®

PART NUMBER: WN-AR65715

FEATURES: Radiator, 5 Rows Of Tubes, Core Size (Height: 20", Width: 14"), 10.43kg

APPLICATIONS: 1520 With Hi-Lo Shift or Reverser, (2020, 2030) USA, (2440, 2640) s/n -340999, 2630, 300B, 301A, 302, 302A, 400, 401, 401B, 401C, 480








OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM





To order parts, call James on 0401709850 or email james@metismachinery.com.au

**JOHN DEERE®****PART NUMBER:** WN-AT26474**FEATURES:** Radiator, 4 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 16", Width: 23.375"), 15.10kg**APPLICATIONS:** 2840, 3030, 3120, 3130**JOHN DEERE®****PART NUMBER:** WN-RE159541**FEATURES:** Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 30 1/8", Width: 15 3/4"), 23.13kg**APPLICATIONS:** (8100, 8200) s/n -009999, (8300) s/n -009999 or 025860-, 8400, 8110, 8210, 8310, 8410, 8100T, 8200T, 8300T, 8400T, 8110T, 8210T, 8310T, 8410T**JOHN DEERE®****PART NUMBER:** WN-RE169273**FEATURES:** Radiator, Cast Aluminum Tanks, 5 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 39", Width: 36 3/4"), 96.62kg**APPLICATIONS:** 9300 s/n 020890-, 9400, 9400W s/n 202890-, 9420, 9520, 9320T, 9420T, 9520T**JOHN DEERE®****PART NUMBER:** WN-RE21895**FEATURES:** Radiator, 5 Rows Of Tubes, 10 Fins Per Inch, Core Size (Height: 30.125", Width: 26.375"), 33.11kg**APPLICATIONS:** 4840**JOHN DEERE®****PART NUMBER:** WN-RE21896**FEATURES:** Radiator, 5 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 26", Width: 30.375"), 29.54kg**APPLICATIONS:** 4640**JOHN DEERE®****PART NUMBER:** WN-RE21897**FEATURES:** Radiator, 5 Rows Of Tubes, Core Size (Height: 29.5", Width: 22"), 25.04kg**APPLICATIONS:** 4440**JOHN DEERE®****PART NUMBER:** WN-RE21898**FEATURES:** Radiator, 4 Rows Of Tubes, 11 Fins Per Inch, Core Size (Height: 21.625", Width: 27.187"), 22.16kg**APPLICATIONS:** 4240**JOHN DEERE®****PART NUMBER:** WN-RE226366**FEATURES:** Radiator, Core Size (Height: 26", Width: 25.5"), 23.13kg**APPLICATIONS:** 7630, 7730, 7830, 7930, 4730, 4830**JOHN DEERE®****PART NUMBER:** WN-RE231507**FEATURES:** Radiator, Core Size (Height: 45", Width: 40.5"), 98.43kg**APPLICATIONS:** 9230, 9330, 9430, 9530, 9630, 9430T, 9530T, 9630T**JOHN DEERE®****PART NUMBER:** WN-RE287861**FEATURES:** Radiator, Core Size (Height: 23.75", Width: 23.75"), 31.75kg**APPLICATIONS:** 7200R, 7215R, 7230R, 7260R, 7280R**JOHN DEERE®****PART NUMBER:** WN-RE330645**FEATURES:** Radiator, Core Size (Height: 21", Width: 38"), 41.28kg**APPLICATIONS:** 8235R, 8260R, 8285R, 8310R, 8335R, 8360R, 8310RT, 8335RT, 8360RT, 8285R, 8310R, 8335R, 4940**JOHN DEERE®****PART NUMBER:** WN-RE38664**FEATURES:** Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 29.125", Width: 21.75", Depth: 3.25"), 24.77kg**APPLICATIONS:** 4050 s/n 005511-006758, 4055, 4250, 4255, 4450, 4455**JOHN DEERE®****PART NUMBER:** WN-RE38666**FEATURES:** Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 28.625", Width: 25.5"), 29.94kg**APPLICATIONS:** (4555, 4755, 4955) s/n -010000, 4650, 4850**JOHN DEERE®****PART NUMBER:** WN-RE46314**FEATURES:** Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 28.625", Width: 25.5"), 29.94kg**APPLICATIONS:** 4560, (4755, 4955) s/n 010001-, 4760, 4960**JOHN DEERE®****PART NUMBER:** WN-RE63188**FEATURES:** Radiator, Core Size (Height: 28", Width: 21"), 23.13kg**APPLICATIONS:** 4700, 4710, 4890, 4895, 7600, (7610, 7710, 7810) s/n -89999, 7700, 7800**JOHN DEERE®****PART NUMBER:** WN-RE69135**FEATURES:** Radiator, 5 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 30 1/8", Width: 15 3/4")**APPLICATIONS:** 8100 s/n 010000-, 8200 s/n 010000-, 8100T, 8110, 8110T, 8200T, 8210, 8210T, 8300 s/n 010000-025859, 8300T

OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM

**To order parts, call James on 0401709850 or email james@metismachinery.com.au**

**MASSEY FERGUSON®****PART NUMBER:** WN-1660499M92**FEATURES:** Radiator, 3 Rows Of Tubes, Core Size (Height: 19", Width: 15.25"), 8.39kg**APPLICATIONS:** 135 All Petrol & Diesel Models, 135 UK Petrol, 148 With Diesel Engine, 20 Ind/Turf With Perkins Petrol/Diesel Engine, 2135 Util/Turf With Petrol/Diesel**MASSEY FERGUSON®****PART NUMBER:** WN-1669650M94**FEATURES:** Radiator, 4 Rows Of Tubes, 7 Fins Per Inch, Core Size (Height: 18.875", Width: 15.125")**APPLICATIONS:** 50E, 270, 275, 283, 290, 670**MASSEY FERGUSON®****PART NUMBER:** WN-181623M1**FEATURES:** Radiator, 3 Rows Of Tubes, 12 Fins Per Inch, Core Size (Height: 17½", Width: 15¾", Depth: 2¼"), 8.15kg**APPLICATIONS:** (35 s/n 204182-, 202 s/n 306493-, TE20, TO20, TO30, TO35) Continental Petrol Engines**MASSEY FERGUSON®****PART NUMBER:** WN-3619008M92**FEATURES:** Radiator, 4 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 22.625", Width: 20.875"), 21.77kg**APPLICATIONS:** 3645 s/n B249040-, 3655 s/n B284013-, 3660 s/n B284013-, 6190, 8110, 8120 s/n -F044008, 8130**MASSEY FERGUSON®****PART NUMBER:** WN-186733M91**FEATURES:** Radiator, 3 Rows Of Tubes, 8 Fins Per Inch, Core Size (Height: 17¾", Width: 15½"), 8.73kg**APPLICATIONS:** (302, 304, 50, 50A, 65) All With Diesel Engine**MASSEY FERGUSON®****PART NUMBER:** WN-894319M92**FEATURES:** Radiator, 3 Rows Of Tubes, Core Size (Height: 17.75", Width: 15"), 8.85kg**APPLICATIONS:** 35 With A3.152 Diesel Engine, 35X(FE) With 87mm Standard Engine

OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



To order parts, call James on 0401709850
or email james@metismachinery.com.au

FEATURED ITEMS!



WN-AR46016

Radiator

3 Rows Of Tubes, 10 Fins Per Inch,
Core Size (Height: 22.25", Width:
18.75")

JOHN DEERE®: 3020 (Petrol,
Diesel and LPG)



WN-RE38664

Radiator

4 Rows Of Tubes, 8 Fins Per Inch,
Core Size (Height: 29.125", Width:
21.75", Depth: 3.25")

JOHN DEERE®: 4050 s/n 005511 -
006758, 4055, 4250, 4255, 4450,
4455



WN-A172038

Radiator

3 Rows Of Tubes, Core Size (Height:
19.5", Width: 20")

CASE®: 580, 580K, 580K-I, 580K-
III, 580SK



WN-A66330

Radiator

5 Rows Of Tubes, 8 Fins Per Inch,
Core Size (Height: 23¾", Width:
22¼", Depth: 3½")

CASE®: 1070, 1170, 1175, 1270,
1370, 970 Petrol/Diesel Engine



WN-E7NN8005BA

Radiator with Oil Cooler

5 Rows Of Tubes, Core Size (Height:
17.75", Width: 18")

FORD®: (5110, 6410, 7410)
Without A/C, 5610, 6610, 6610 With
or Without A/C, 6810, 7610 Without
A/C & Without Viscous Fan