




AGCO®

PART NUMBER: WN-6A671-97110

FEATURES: Air Conditioner Compressor, Single Groove Pulley With Clutch

APPLICATIONS: ST34A, ST47A, ST52A, ST60A



CASE/IH®

PART NUMBER: WN-A177068

FEATURES: Air Conditioner Compressor, Sanden Style, 8.64kg

APPLICATIONS: 1896, 2096, 4494, 4694 s/n 8866632-




CATEPILLAR®

PART NUMBER: WN-6A671-97110

FEATURES: Air Conditioner Compressor, Single Groove Pulley With Clutch

APPLICATIONS: MT285B, MT295B, MT297B




FORD®

PART NUMBER: WN-E8NN19D629AA

FEATURES: Air Conditioner Compressor, Sanden Style, With Clutch, 5" 2A Groove Pulley, 12 Volt, 8.44kg

APPLICATIONS: FW20, (TW15, TW25, TW35, TW5, 7810, 7910, 8000, 8210, 8530 All 1/1/1990-), (5110, 5610, 6610, 7610, 7710 All 1/1/1989-), 6710, 6810, 7410, Replaces York Pump and Replaces HR980 A/C Pump with Bracket.



FORD®

PART NUMBER: WN-9824775

FEATURES: Air Conditioner Compressor, Serpentine Pulley With Clutch, 9.61kg

APPLICATIONS: 8670, 8670A, 8770, 8770A, 8870, 8870A, 8970, 8970A




JOHN DEERE®

PART NUMBER: WN-RE12513

FEATURES: Air Conditioner Compressor, Nippondenso, Ear Mounting, With 5.75" Clutch, 9.53kg

APPLICATIONS: **Tractors:** 2250, 2355, 2450, 2555, 2650, 2755, 2850, 2855N, 2955, 3050, 3055, 3155, 3255, 3350, 3650, 4050, 4055, 4250, 4255, 4455, 4560, 4650. **Combines:** CTS, 4420, 4425, 4435, 4755, 4760, 4850, 4955, 4960, 5720, 6622, 7720, 8450, 8560, 8650, 8760, 8820, 8850, 8960, 9400, 9500, 9500SH, 9600.




JOHN DEERE®

PART NUMBER: WN-6A671-97110

FEATURES: Air Conditioner Compressor, Single Groove Pulley With Clutch

APPLICATIONS: 3320, 3520, 3720, 3033R, 3038R, 3039R, 3045R, 3046R, 4044R, 4049R, 4052R, 4066R




JOHN DEERE®

PART NUMBER: WN-RE55422

FEATURES: Air Conditioner Compressor, Single Groove pulley With Clutch, 11kg

APPLICATIONS: 4560 s/n 003584-, 4755 s/n 010879-, 4760 s/n 003366-, 4955 s/n 010371-, 4960 s/n 005730-, , 655B, 670B, 672B, 744H, 750B, 750C, 755B



JOHN DEERE®

PART NUMBER: WN-RE64024

FEATURES: Air Conditioner Compressor, 11.23kg

APPLICATIONS: 5200, 5210, 5220, 5300, 5310, 5320, 5320N, 5400, 5500.



JOHN DEERE®

PART NUMBER: WN-AL155836

FEATURES: Air Conditioner Compressor, Serpentine Pulley With Clutch, 7.30kg

APPLICATIONS: 6110, 6120, 6200, 6210, 6220, 6300, 6310, 6320, 6400, 6410, 6420, 6500, 6820, 6920, 7220, 7230, 7420, 7520




JOHN DEERE®

PART NUMBER: WN-AH169875

FEATURES: Air Conditioner Compressor With Clutch, Nippondenso, 11.79kg

APPLICATIONS: **Tractors:** 5085M, 5095M, 5105M, 5410, 5420, 5420N, 5510, 5520, 5520N, 6403, 6603, 7200, 7210, 7400, 7410, 7510, 7600, 7610, 7630, 7700, 7710, 7715, 7720, 7730, 7800, 7810, 7815, 7820, 7830, 7920, 7930, 8100, 8100T, 8110, 8120, 8130, 8200, 8200T, 8210, 8210T, 8220, 8220T, 8225R, 8230, 8230T, 8245R, 8270R, 8295R, 8295RT, 8300, 8300T, 8310, 8310T, 8320, 8320R, 8320RT, 8320T, 8330, 8330T, 8345R, 8345R, 8345RT, 8400, 8400T, 8410, 8410T, 8420, 8420T, 8430 Model Year 2006 2009, 8430T, 8520, 8520T, 8530, 8630, 9100, 9120, 9220, 9230, 9300T, 9320, 9320T, 9330, 9400T, 9420, 9420T, 9430, 9430T, 9520, 9520T, 9530, 9530T, 9620, 9620T, 9630, 9630T. **Combines:** CTS II, 9410, 9450, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9610, 9640, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9680, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS. **Cotton Picker** 7760. **Forage Harvesters:** 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7700, 7750, 7800, 7850, 7950. **Industrial:** 310G, 310SG, 310SJ, 315SG, 315SJ, 410G, 410J, 450H, 450J, 550H, 550J, 560D (SN <596699), 643H, 644G, 650H, 650J, 653E, 653G, 710D, 710J, 740, 740G, 740G (SN 559115>), 840, 843H. **Skid Steer Loaders** 360DC (SN <596699), 360DG, 460DC (SN <596699), 540G (SN 558205>), 540G-II, 540G-III, 548G (SN 558205>), 548G-II, 548G-III, 640G (SN 558205>), 640G-II, 640G-III, 648G (SN 558205>), 648G-II, 648G-III, 748G (SN 559115>), 748G-II, 748G-III. **Sprayers:** 4700, 4710, 4720, 4920, 4930, 6700. **Swathers:** 4895, 4995.



JOHN DEERE®

PART NUMBER: WN-RE46657

FEATURES: Air Conditioner Compressor With Clutch, Nippondenso, No Manifold, R134a, 8.17kg

APPLICATIONS: 9400 1993-, 9500 SN 650201-, 9500SH 1993-, 9600 1993-, 8570, 8770, 8870, 8970.




KUBOTA®

PART NUMBER: WN-6A671-97110

FEATURES: Air Conditioner Compressor, Single Groove Pulley With Clutch

APPLICATIONS: B3030, (L3240, L3540) All s/n-60068, L3430, (L3940, L4240) All s/n-60080, L4330, L4630, L5030, (L4740, L5240, L5740) All s/n-60040, M105S, M105X, M110 2WD s/n 10103- or 4SW s/n 50836-, M120 2WD s/n 10062- or 4WD s/n 50622-, M125X, M4900 2WD s/n 12223- or 4W, M5700 2WD s/n 10658- or 4WD s/n 52753-, M6800 2WD s/n 20893- or 4WD s/n 63571-, M8200 2WD s/n 10799- or 4WD s/n 53408-, M9000 2WD s/n 10914- or 4WD s/n 55589-, M955 RTV1100 s/n -12424




OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



To order parts, call James on 0401709850 or email james@metismachinery.com.au

**MASSEY FERGUSON®****PART NUMBER:** WN-1688310M2**FEATURES:** Air Conditioner Compressor, 8.03kg**APPLICATIONS:** (375, 399) All s/n -40534, (383, 390, 390T, 393, 396, 398) All s/n -C40534**MASSEY FERGUSON®****PART NUMBER:** WN-1690711M1**FEATURES:** Air Conditioner Compressor, 5.25" 2 Groove Pulley, 8.57kg**APPLICATIONS:** 670, (675, 698T) All 1984-, 690, 698, 699**MASSEY FERGUSON®****PART NUMBER:** WN-6A671-97110**FEATURES:** Air Conditioner Compressor, Single Groove Pulley With Clutch**APPLICATIONS:** 1547, 1552, 1635, 1643, 1648, 1652, 1655**MASSEY FERGUSON®****PART NUMBER:** WN-3386861M1**FEATURES:** Air Conditioner Compressor, Pad Fittings, 7.87kg**APPLICATIONS:** (3050, 3060, 3065, 3075, 3095, 3635, 3645, 3655, 3660) All s/n -C210009, 3070, 3090, 3120, 3120T, 3140, 3505 s/n 6178203, 3630, 3650, 3655, 3660, 3670, 3680, 3690, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4365, 4370, 5275, 5285, 5290, 5300, 5310, 5320, 5425**NEW HOLLAND®****PART NUMBER:** WN-87802912**FEATURES:** Air Conditioner Compressor With Clutch, 7.28kg**APPLICATIONS:** TS100A, TS110A, TS115A, TS125A, TS130A, TS135A**MISCELLANEOUS****PART NUMBER:** WN-500-6000**FEATURES:** Air Conditioner Compressor, Heat Switch NOT included, 5.58" Single Groove Pulley, 9.53kg**APPLICATIONS:** **Allis Chalmers®:** 200, 210, 220, 7000, 7010, 7020, 7030, 7040, 7045, 7050, 7060 **Deutz®:** DX8.30 **John Deere®:** 2350, 2550, 2750, 2940, 3150, 4030, 4040, 4230, 4240, 4320, 4430, 4440, 4520, 4630, 4640, 4840, 6620, 7020, 7720, 8430, 8440, 8630, 8640, 8820 **Massey Ferguson®:** 1080, 1085, 1100, 1105, 1130, 1135, 1155, 1500, 1505, 1800, 1805, 2640, 2675, 2705, 2745, 2755, 2805**MISCELLANEOUS****PART NUMBER:** WN-1977959C1**FEATURES:** Air Conditioner Compressor, Sanden Syle, With Clutch, 6" Double Groove Pulley, R134, 8.71kg**APPLICATIONS:** **Case-IH®:** C100, C70, C80, C90, CX100, CX50, CX60, CX70, CX80, CX90, MX100, MX100C, MX110, MX120, MX135, MX150, MX170, MX180, MX200, MX220, MX240, MX270, MX80C, MX90C, QUADTRAC, STX275, STX280, STX325, STX330, 280, 330, 335, 3220, 3230, 4210, 4230, 4240, 5120, 5130, 5140, 5220, 5230, 5240, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588, 5088, 6088, 7088, 580M, 580SM, 590SM, 650K, 750K, 850K, 85XT, 90XT, 95XT, 8830, 8840, 8850, 5250, 585, 595, 685, 695, 7110, 7210, 8130, 8140, 8150, 8160, 8210, 8220, 8240, 8245, 8250, 8260, 8270, 8280 **White®:** 6410, 6510, 6710 s/n -J117018, 6810 s/n -J117018, 8310, 8410, 8510 s/n -2000, 8610 s/n 2000, 8710, 8810**MISCELLANEOUS****PART NUMBER:** WN-3782613M2**FEATURES:** Air Conditioner Compressor, 2 Groove Pulley With Clutch, 7.44kg**APPLICATIONS:** **Allis Chalmers®:** 8745, 8765, 8775, 8785, 9735, 9745, 9755, 9765, 9775, 9785 **Massey Ferguson®:** 340, 342, 350, 352, (375, 390, 390T, 393, 398, 399) All s/n 40535-, (383, 396) All s/n C40535-, 1080, 1085, 1100, 1105, 1130, 1135, 1155, 1200, 1250, 2620, 2625, 2640, 2645, 2675, 2680, 2685, 2705, 2720, 2725, 2775, 3050, 3060, 3065, 3070, 3075, 3095, 3120, 3125, 3140, 3505, 3525, 3635, 3645, 3655, 3660, 3670, 3690, 375, 390, 390T, 393, 398, 399, 383, 396, 4215, 4220, 4225, 4233, 4235, 4240, 4243, 4245, 4253, 4255, 4260, 4263, 4265, 4270, 4325, 4335, 4345, 4355, 4360, 4370, 5425, 5435, 5445, 5465, 6110, 6120, 6130, 6140, 6150, 6170, 6180, 6190, (6235, 6245, 6255, 6265, 6270, 6280, 6290) All Eng s/n H105020-, 8110 Qty 1, 8120, 8130, 8140, 8150, 8160, 8210, 8220, 8240, 8245, 8250, 8260, 8270, 8280 **White®:** 6410, 6510, 6710 s/n -J117018, 6810 s/n -J117018, 8310, 8410, 8510 s/n -2000, 8610 s/n 2000, 8710, 8810**MISCELLANEOUS****PART NUMBER:** WN-500-222**FEATURES:** Air Conditioner Compressor, York, LH Suction, Rotoloc Head, Without Clutch**APPLICATIONS:** **AGCO®:** F, F2 S/N 39201-, F3, K, K2, (L, L2, L3, M) All S/N 13000- (MH2, M2, M3) All S/N 16566-, MH3, N5, N6, N7, R42, R5, R52, R6, R60, R62, R7, R70 **Case®:** 1070, 1090, 1170, 1175, 1270, 1370, 1470, 1470TK, 1490, 1570, 1690, 2090, 2094, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 3294, 3394 **Ford®:** TW25, TM135, TM140, TM150, TM155, TM165, TM175, 8530, 8630 **Heston®:** 5800, 6200, 6400, 6600 **International®:** 1066, 1466, 1468, 1566, 1568, (4000, 5000, 5500) All S/N -2300, 4166, 4186, 615, 715 S/N -23000, 766, 815, 915, 966 **Massey Ferguson®:** 410 S/N 1200018375-, 510 S/N 1201009156-1201011838, 8590, 9720 **New Holland®:** TR75, TR86 S/N -52972, TR96 S/N -529778, 1112, 1114, 1116, 1118 **Steiger®:** BC SERIES I/II Series I, COUGAR SERIES I/II w/ Cougar I - Early Style, SWC SERIES Series I, WC SERIES I/II Series I **Versatile®:** 700V, 750V, 800V, 825V, (835V, 850V, 875V) All 1978-1980, 855V 1976-1980, 895V 1980, 900V, (935V, 950V) All 1978-1982 **White®:** 2-105 S/N 255216-299003, 2-135, 2-150, 2-155, 2-180 S/N 281993-301921, 7300 S/N 85301-, 7600, 8600, 8700, 8800, 8900, 8920, 9700, 9720**MISCELLANEOUS****PART NUMBER:** WN-500-270**FEATURES:** Air Conditioner Compressor, Sanden Style, With Clutch, 5-1/4" Pulley, 2A Grooves, SD508 Series, 8.03kg**APPLICATIONS:** **Ford®:** 230A, 2310, 233, 234, 2600, 2610, 335, 3600, 3610, 3910, 4100, 4110, 4600, 4610, (7840, 8240, 8340) All 11/1991-, 233, 2600, 2600N, 2600R, 2600V, 333, 3600, 3600N, 3600NO, 3600R, 3600V, 4100, 4600, 4600NO, 4600SU, 5600, 5700, 6600, 6600C, 6600O, 6700, 7600, 7600C, 7700 **Hesston®:** 8200**MISCELLANEOUS****PART NUMBER:** WN-5176185**FEATURES:** Air Conditioner Compressor, With Clutch, 7.82kg**APPLICATIONS:** **Case-IH®:** JX1060C, JX1070C, JX1070N, JX1075C, JX1075N, JX1095N **Ford-NewHolland®:** TN55D, TN55S, TN60DA, TN60SA, TN60VA, TN65D, TN65F, TN65S, TN65V, TN70D, TN70DA, TN70F, TN70S, TN70SA, TN70VA, TN75D, TN75DA, TN75F

OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



MISCELLANEOUS

PART NUMBER: WN-60-2921T94

FEATURES: Air Conditioner Compressor, 2 Groove Pulley With Clutch, 8.05kg

APPLICATIONS:

AGCO®: 1603T TERRAGATOR, 1664T TERRAGATOR, 1803 TERRAGATOR, 1804 TERRAGATOR, 664 ROGATOR

Case®: 1294, 1394, 1494, 1594 **Case-IH®:** 6000, 6500, 9110, 9130, 9150, 9170, 9180, 9190, (9210, 9230, 9240, 9250, 9260, 9270, 9280) All S/N -JEE0031849

Steiger®: CM235, CM360, CP-1325, CP-1360, CP-1400, CP-1225, CP-1280, CS-360, KM-225, KM-280, KM-325, KM-360, KP-1325, KP-1360, KP-1400, KP-525, KR-1225, KR-1280, KS-280, KS-325, KS-360, PT225, PT270, PTA251, PTA270, PTA280, PTA297, PTA310, PTA325, SM-325, Bearcat, Cougar, Lion, Panther, Puma, Bearcat Series IV, Cougar Series IV, Panther Series IV, Wildcat 1000 Series

Versatile®: 1150V, 160V, 555V 1983-, (835V,855V,875V,895V,945V,955V) All 1981-1984



MISCELLANEOUS

PART NUMBER: WN-72162168

FEATURES: Air Conditioner Compressor, Sanden style, With Clutch, 5-1/4" Pulley, 2A Pulley Grooves,

APPLICATIONS: **Allis Chalmers®:** 9130, 9150, 9170, 9190, 9630, 9650, 9670, 9690 **Steiger®:** BC SERIES I/II Late Series II without Service Ports, CA-INDUSTRIAL SERIES Late Style O-ring Style without Service Ports) **White®:** 100, 120, 125 WORKHORSE, 140, 145 WORKHORSE, 170 WORKHORSE, 195 WORKHORSE, 2-105 S/N 299004-, 2-110, 2-135 S/N 400418-, 2-155



MISCELLANEOUS

PART NUMBER: WN-72504984

FEATURES: Air Conditioner Compressor, 2 Groove 6" Pulley, 7.71kg

APPLICATIONS: **Allis Chalmers®:** 440, 9435, 9455, 9630, 9635, 9650, 9655, 9670, 9675, 9690, 9695, 9815 **AGCO®:** R42, R52, R55 **Case-IH®:** JX100U, JX55, JX60, JX65, JX70, JX70U, JX75, JX80, JX80U, JX85, JX90, JX90U, JX95 **Fiat®:** 60-86F, 60-86FDI, 60-86SV, 60-86VDT, 65-94, 65-94DT, 72-94, 72-94DT, 82-94, 82-94DT, 88-94, 88-94DT **New Holland®:** TD60D, TD70D, TD75D, TD80D, TD90D, TD95D, TL100, TL70, TL80, TL90, 3930, 4330V, 4835, 5635, 6635, 7635 **White®:** 6124, 6144, 6215



MISCELLANEOUS

PART NUMBER: WN-82016157

FEATURES: Air Conditioner Compressor, Pulley With Clutch, 7.60kg

APPLICATIONS:

Ford®: (5640, 6640, 7740) All s/n 150018- 11/1995-, (7840, 78400, 8240, 8340) All 11/1995-

New Holland®: (TS100, TS110, TS115, TS90) All s/n 150018B- 11/1995-



MISCELLANEOUS

PART NUMBER: WN-82016158

FEATURES: Air Conditioner Compressor, Vertical Oring Fittings, Sanden Style with Clutch, 7.35kg

APPLICATIONS:

Case-IH®: MXM120, MXM130, MXM140, MXM155, MXM175, MXM190

New Holland®: TM115, TM120, TM125, TM130, TM135, TM140, TM150, TM155, TM165, TM175, TM190, TV140, TV145, 8160, (8240, 8340) All 4/1994-10/1995, 8260



MISCELLANEOUS

PART NUMBER: WN-86993463

FEATURES: Air Conditioner Compressor, Side of Engine-Front, R134A, 10.30kg

APPLICATIONS: **Case-IH®:** AFX8010, 7010, 7120, 8010, 8120, 9120, 245, 255, 275, 215, 245, 255, 275, 305, 335, MX210, MX215, MX230, MX245, MX255, MX275, MX285, MX305, 8230, 9230 **New Holland®:** TG210, TG215, TG230, TG245, TG255, TG275, TG285, TG305, TJ375, TJ425, TJ450, TJ480, TJ500, TJ530, T8010, T8020, T8030, T8040, T8050, T8060 **Steiger®:** 380 4WD, 385, 430 4WD, 435, 480 4WD, 485, 530 4WD, 535



INSTALLATION NOTES:

The following steps must be performed prior to compressor installation for warranty to be considered on all A/C compressors. Failure to do so will void all warranty.

1. The system (condenser, evaporator, lines, etc.) need to be flushed with an approved liquid.
2. A new receiver-drier or accumulator needs to be put on.
3. The expansion valves or office tubes need to be inspected - cleaned - replaced.
4. Inspect the lines.
5. The condenser and evaporator need to be checked/cleaned of debris.
6. Properly vacuum system down.
7. Use the recommended type and amount of oil needed.
8. Install the proper Freon level.
9. Hand turn the compressor after filing with Freon.
10. Check the voltage to the compressor.
11. Check the system for leaks.
12. The proper documentation/shop work order of the above steps needs to accompany the compressor for warranty.

OE manufacturer's names and brands are used for identification purposes only

Products listed are replacement part only - not OEM



To order parts, call James on 0401709850 or email james@metismachinery.com.au