




Harrows

STUMP JUMP

& DRILL





HEAVY DUTY STUMP JUMP HARROW

These heavy duty twenty tyned (4 rows wide by 5 rows deep) stump jump harrows have the following features.

- Extra long tyne with long life fully forged diamond point, for longer wear.
- Tynes have dual bearing surfaces for extra rigidity.
- High quality bolts for tensioning.
- Two attaching points with 16mm holes.

Part No.	4 x 5 SJ
Sizes available	4 wide x 5 deep
Material section	32mm x 10mm high carbon steel
Cross section	Material 320 sq mm
Bolt sizes	16mm (5/8")
Pipe sizes	20mm nominal bore x 2.6mm wall
Bearing surface	Dual bearing tyne
Pull points	Two (2)
Tyne point	Diamond forged
Width of cut	787mm (31")
Weight	43kgs (95lbs)




STUMP JUMP EXTRAS



Weld On Harrow Tips are available to replace worn parts. Made from the same 32mm x 10mm material section as the original tyne.

Part No.	WOHT
Size	32mm x 10mm x 175mm (1 1/4" X 3/8" X 7")

STUMP JUMP HARROW SPARE PARTS EXPLOSION



Item No.	Description	Quantity/Assembly
1	Tyne centre - left hand	6
2	Tyne centre - right hand	6
3	Tyne side - right hand	2
4	Tyne side - left hand	2
5	Tyne front - right hand	2
6	Tyne front - left hand	2
7	Tube spacer	3
8	Bolt 16mm x 700mm long	5
9	Nut hex head 16mm	10

Note: To identify right or left hand crank of tyne, view harrow assembly from behind when towing.

DRILL (FOLLOWING) HARROWS

3 x 5 Drill Harrow



4 x 3 Drill Harrow




Drill (Following) Harrows are available in a variety of sections and are produced from 25mm x 10mm high carbon steel, and featuring the famous forged diamond pointed tyne for longer life. Bundled in lots of 25. Drill harrow hooks (Part No. DHH) are also available.

DRILL (FOLLOWING) HARROWS SPECIFICATIONS

Part No.	HA3 x 3FH	HA3 x 4FH	HA3 x 5FH	HA4 x 3FH	HA4 x 4FH	HA4 x 5FH
Size (width x depth)	3 x 3	3 x 4	3 x 5	4 x 3	4 x 4	4 x 5
No. of Tyne	9	12	15	12	16	20
Material Section	All use 25mm x 10mm high carbon steel					
Cross Section	All 250 sq mm					
Bolt sizes	All use 12mm bolts					
Pipe sizes	All 15mm nominal bore x 2.6mm wall					
Pull points	3	3	3	4	4	4
Tyne point	All forged diamond points					
Width if cut - mm	711mm	711mm	711mm	940mm	940mm	940mm
- inches	28"	28"	28"	37"	37"	37"
Weight - kgs	11kg	15kg	19kg	15kg	20kg	26kg
- lbs	24lbs	33lbs	42lbs	33lbs	44lbs	57lbs

DRILL HARROW SPARE PARTS EXPLOSION

Item No.	Description	Quantity per model					
		3 x 3	3 x 4	3 x 5	4 x 3	4 x 4	4 x 5
1	Hook 10mm diameter	3	3	3	4	4	4
2	Bolt 12mm x 520mm long	3	4	5	-	-	-
3	Bolt 12mm x 770mm long	-	-	-	3	4	5
4	Tube spacer 230mm long	2	2	2	3	3	3
5	Tube spacer 217mm long	4	6	8	6	9	12
6	Front tyne	3	3	3	4	4	4
7	Tyne left hand crank	3	6	6	4	8	8
8	Tyne right hand crank	3	3	6	4	4	8
9	Front tyne and hook assy	3	3	3	4	4	4
10	Nut hex 12mm	6	8	10	6	8	10



Manufactured by G.W.C. Australia Pty Ltd
 ABN 91 064 434 475
 Trading as AGPOINT AUSTRALIA

For further information please contact the numbers listed below.

**Unit 2, 204 Strickland Rd,
 Bendigo East, Vic 3500**
 FreeCall: 1800 087 871
 Phone: (03) 5449 3499
 FreeFax: (03) 5449 3266
 bendigo@agpoint.com.au

**3 Borrow Street,
 Freeling SA 5372**
 FreeCall: 1800 088 538
 Phone: (08) 8525 3500
 FreeFax: 1800 802 394
 sales@agpoint.com.au

**74-92 Buckland Street,
 Toowoomba, QLD 4350**
 FreeCall: 1800 087 871
 Phone: (07) 4591 3300
 FreeFax: (07) 4591 3350
 twmba@agpoint.com.au