



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points


Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

No.8A Key Hole Bolt On Scarifier Point **Fits Connor Shea**

8ALP-AT Ag-Tuff Fluted	1 1/2"	6mm	10	8.6	400	\$37.54	Equiv to Napier 11701
8A x 8-AT Ag-Tuff	8"	6mm	10	11.3	250	\$51.29	Take 1/2" CSK Plow Bolt & Nut Use Bolt P/N CSK16



No.20 Universal Scarifier Point **Fits Chamberlain, Horwood Bagshaw, Shearer etc.**

20 x 6-AT* Ag-Tuff	6 "	6mm	10	8.8	600	\$38.86	Suits most makes of scarifiers
20 x 7-AT* Ag-Tuff	7 "	6mm	10	9.8	550	\$42.54	Takes 1/2" Cuphead Bolt & Nut
20 x 8-AT* Ag-Tuff	8 "	6mm	10	12.8	500	\$45.87	Use Bolt P/N BRH15 or BRH16



* Check Stocks as these are made to order, min batch qty

20LP-AT Ag-Tuff	12mm	6mm	10	6.3	450	\$31.78	Use Bolt P/N CSK9, CSK15 or CSK16
20LP-TG Tungsten Tile	12mm	6mm	10	6.9	450	\$50.29	Use Bolt P/N CSK9, CSK15 or CSK16
20RP-AT Ag-Tuff	65mm	10mm	10	8.3	800	\$32.22	Use Bolt P/N BRH15 or BRH16

No. 20 x 8AT & 20LP-TG

No.202T Bolt-On Sweep **47 Degree Sweep**

202T x 9-AT* Ag-Tuff	9 "	8mm	5	9.7	240	\$68.93	Fits IHC V/shank, Leon, Flexi-Coil, Gason,
202T x 10-AT* Ag-Tuff	10 "	8mm	5	10.7	220	\$75.36	Hesston, Morris, Bourgault, Ezee-On,
202T x 12-AT* Ag-Tuff	12 "	8mm	5	12.9	170	\$85.15	H Bagshaw-ScariBar 2 bolt edge-on tine only & other wth 47 degree tines.

* Check Stocks as these are made to order, min batch qty



No. 20RP-AT & No.202T x 9AT






Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only	
50 Degree Standard Style Chisel Plow Sweep							50 Degree Sweep		
50-10-8-AT* Ag-Tuff	10"	8mm	1	3.2	120	\$80.07			
50-16-8-AT* Ag-Tuff	16"	8mm	1	4.2	80	\$107.72	Takes 2 x 1/2" Plow Bolts at 57mm centres Use Bolt P/N CSK17, CSK18 or CSK19		
* Other sizes & styles made to order and subject to minimum batch lots									
Shearer Standard Style Chisel Plow Sweep							54 Degree Sweep		
15916-AT* Ag-Tuff	16"	8mm	1	4.2	70	\$107.72	Fits Shearer Trashworker, Econodraft & Ford.Takes 9/16" Special Bolt at 76.2mm centres. Use Bolt P/N SH1 or SH2		
* Other sizes & styles made to order and subject to minimum batch lots									
32HDP4-TG Heavy Duty Knife Point							Fits Various		
32HDP4-TG Tungsten Tiles	16mm	50mm	5	8.5	200	\$70.04	Universal fitment 7/16"/1/2" Plow Bolts @ 44.5mm to 57mm hole centres (slot)		
32HDP6-TG Heavy Duty Knife Point							Fits Various		
32HDP6-AT Ag-Tuff	16mm	50mm	5	8.5	200	\$41.00	Universal fitment 7/16"/1/2" Plow Bolts @ 44.5mm to 57mm hole centres (slot)		
32HDP6-TG Tungsten Tiles	16mm	50mm	5	8.5	200	\$74.16	44.5mm to 57mm hole centres (slot)		
No.61U Universal Bolt-On Point							38 Degree Fits Most makes		
61U x 4-AT Ag-Tuff	4 "	6mm	25	11.4	800	\$25.33	Fits Shearer, Ford, Gyrat etc.		
61U x 5-AT* Ag-Tuff	5 "	6mm	25	12.5	750	\$26.51	Takes Crushed Cuphead Bolt: S4, S5 or S6		
61U x 6-AT Ag-Tuff	6 "	6mm	25	14.9	500	\$30.93	or Special Bolt: AG4, AG5, AG6, AG7 or		
61U x 7-AT Ag-Tuff	7 "	6mm	10	7.7	400	\$35.36	AG8		
61U x 8-AT* Ag-Tuff	8 "	6mm	10	10.2	350	\$39.70	Use Tine Washer N538		

* Check Stocks as these are made to order, min batch qty



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

No.65 Bolt-On Point						Lucerne Chisel		
----------------------------	--	--	--	--	--	-----------------------	--	--

65-AT	12mm	6mm	25	12.0	800	\$25.36	Fits most fluted tines. Takes 3/8 or 7/16" Crushed Cuphead Bolt. Use AG2 or S4 & N538 washer.
-------	------	-----	----	------	-----	----------------	---



65-AT

AA00715-AT

No.AA00715-AT Bolt-On Point						Aqua Point		
------------------------------------	--	--	--	--	--	-------------------	--	--

AA00715-AT Ag-Tuff	40mm	6mm	10	2.5	1500	\$15.71	Fits various tines with 7/16" hole. Takes 7/16" Crushed Cuphead Bolt S4 to S6 or Special Bolt: AG4 to AG8
--------------------	------	-----	----	-----	------	----------------	--

No.16108 Series Bolt-On Point						41 Degree Sweep		
--------------------------------------	--	--	--	--	--	------------------------	--	--

16108-AT Ag-Tuff	8 "	6mm	10	8.3	350	\$43.33	Fits Alfarm, Janke, Horwood Bagshaw AFM and others with 43 degree tine. Takes Crushed Cuphead Bolt: S4 to S6 or Special Bolt: AG4 to AG8
------------------	-----	-----	----	-----	-----	----------------	---



No.M1 Marlow Point Slip-On Type						43 Degree Slip-On Point		
--	--	--	--	--	--	--------------------------------	--	--

M1 x 4 1/2-AT* Ag-Tuff	4 1/2 "	5mm	25	11.2	600	\$26.11	Fits MF, Chamberlain etc. Takes Marlow Clip & Bolt Assy.
------------------------	---------	-----	----	------	-----	----------------	---

* Check Stocks as these are made to order, min batch qty

No.M2 Marlow Point Slip-On Type						46 Degree Slip-On Point		
--	--	--	--	--	--	--------------------------------	--	--

M2 x 2-AT Ag-Tuff	2 "	5mm	25	8.2	1000	\$20.75	Fits Most makes of combines or cultivators
M2 x 4-AT Ag-Tuff	4 "	5mm	25	9.4	750	\$24.57	(Steeper set than M3)
M2 x 5-AT Ag-Tuff	5 "	5mm	25	11.1	600	\$27.35	Takes Marlow Clip & Bolt Assy.



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

No.M2Tx 6mm Marlow Point Slip-On Type	46 Degree Slip-On Point
--	--------------------------------

M2T x 6-AT* Ag-Tuff	6 "	6mm	25	14.7	400	\$32.98	Fits Most makes of combines or cultivators with fluted or similar foot.(Steeper set than M3)
M2T x 7-AT Ag-Tuff	7 "	6mm	10	7.7	350	\$35.10	Takes Marlow Clip & Bolt Assy.

* Check Stocks as these are made to order, min batch qty

No.M2LP Marlow Point Slip-On Type	Lucerne Point
--	----------------------

M2LP-XAT Extra Ag-Tuff	10mm	5mm	25	10.4	750	\$27.15	Fits Most makes of combines or cultivators Takes Marlow Clip & Bolt Assy.
------------------------	------	-----	----	------	-----	----------------	---

No.M2SP Marlow Point Slip-On Type	Seeding Point
--	----------------------

M2SP-XAT Extra Ag-Tuff	20mm	5mm	25	10.4	750	\$29.02	Fits Most makes of combines or cultivators Takes Marlow Clip & Bolt Assy. 6" Long x 20mm wide
------------------------	------	-----	----	------	-----	----------------	---

No.M3 Marlow Point Slip-On Type	49 Degree Slip-On Point
--	--------------------------------

M3 x 4-AT Ag-Tuff	4 "	5mm	25	9.4	750	\$24.69	Fits Most makes of combines or cultivators with fluted or similar foot.(Flatter set than M2)
M3 x 5-AT Ag-Tuff	5 "	5mm	25	11.1	600	\$27.35	Takes Marlow Clip & Bolt Assy.

No.M3Tx 6mm Marlow Point Slip-On Type	49 Degree Slip-On Point
--	--------------------------------

M3T x 7-AT* Ag-Tuff	7 "	6mm	10	7.7	350	\$33.60	Fits Most makes of combines or cultivators with fluted or similar foot.(Flatter set than M2) Takes Marlow Clip & Bolt Assy.
---------------------	-----	-----	----	-----	-----	----------------	--

* Check Stocks as these are made to order, min batch qty



No.M2LP-XAT



No.M3T series



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

No.M4 Marlow Point Slip-On Type	52 Degree Slip-On Point						
--	--------------------------------	--	--	--	--	--	--

M4SP-AT Ag-Tuff	20mm	5mm	25	11.9	750		Fits Connor Shea wideline cultivator Fits Special MC21193 clip with N538 washer.
-----------------	------	-----	----	------	-----	--	---

M4SP-AT



No.M5 Slip-On Style Sweep	Slip-On Sweep - 43 Degree						
----------------------------------	----------------------------------	--	--	--	--	--	--

M5 x 6-AT* Ag-Tuff	6 "	6mm	10	10.8	300		Fits early model John Deere 1000 series with 3/8" holes, White, Gason 5100, MF259 & Versatile cultivators. Takes Clip 15552 Steeper set than M7
M5 x 7-AT Ag-Tuff	7 "	6mm	10	11.6	250		



M5 x 7-AT & M5SP-AT

* Check Stocks as these are made to order, min batch qty

No.M7 Slip-On Style Sweep	Slip-On Sweep - 47 Degree						
----------------------------------	----------------------------------	--	--	--	--	--	--

M7 x 8-AT* Ag-Tuff	8 "	6mm	10	12.7	200		Fits North American field cultivators. FlexiCoil, Morris, IHC-Vibrashank, Bourgault & H B ScariBar. Takes Clip 15552
--------------------	-----	-----	----	------	-----	--	--

* Check Stocks as these are made to order, min batch qty

No.M8THDPS - 70° Heavy Duty Knife Points	70° for less soil Disturbance Slim-Wedge						
---	---	--	--	--	--	--	--

M8THDPS4-TG Tile 70°	18mm	8mm	5		300		Fits North American field cultivators
M8THDPS6-TG Tile 70°	18mm	8mm	5		300		FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.

4 & 6 in part number denotes approx length of blade & working depth



M8THDPS6-TG



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

No.M8THDP - 47° Heavy Duty Knife Points						Slim-Wedge
---	--	--	--	--	--	------------

M8THDP2-TG Tile & AT	New Short Version				300	Nominal 2" working depth	
M8THDP4-AT Ag-Tuff	18mm	8mm	5		400	Fits North American field cultivators	
M8THDP4-TG Tile & AT	18mm	8mm	5		300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.	
M8THDP6-AT Ag-Tuff	18mm	8mm	5		400		
M8THDP6-TG Tile & AT	18mm	8mm	5		300		

2, 4 & 6 in part number denotes approx length of blade & working depth

No.M8TWS - Heavy Duty Wing Seeder Points						Slim-Wedge
--	--	--	--	--	--	------------

M8TWS4-TG Tile & AT	18mm	8mm	5		200	Fits North American field cultivators	
M8TWS4-XTG Tile & AT	18mm	8mm	Extra Tile		200	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.	

No.M8T Slip-On Sweep						Slim-Wedge Sweeps
----------------------	--	--	--	--	--	-------------------

M8T x 2-AT Ag-Tuff	2 "	8mm	10	9.5	500	Fits North American field cultivators	
M8T x 4-AT Ag-Tuff	4 "	8mm	5	5.8	300	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.	
M8T x 6-AT Ag-Tuff	6 "	8mm	5	7.1	300		
M8T x 7-AT Ag-Tuff	7 "	8mm	5	8.0	250		
M8T x 8-AT Ag-Tuff	8 "	8mm	5	8.9	250		
M8T x 9-AT Ag-Tuff	9 "	8mm	5	9.5	150		
M8T x 10-AT Ag-Tuff	10 "	8mm	5	10.0	150		
M8T x 12-AT* Ag-Tuff	12 "	8mm	5	11.8	100		

Refer Cast Clips from 15553 to 15561



M8T with Locking System
Patent No.2003203696

*Denotes to be deleted from range when stocks have been sold, but can be made to order against min qty.



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

Slimline Points						Slimline Tines	
-----------------	--	--	--	--	--	----------------	--

16101-AT Ag-Tuff	20mm	5mm	20	7.1	900		To fit all Slimline Tines ie. Alfarm, Gason & Symonds
------------------	------	-----	----	-----	-----	--	--



Baker Boot						CSN, Agroplow & Clough	
------------	--	--	--	--	--	------------------------	--

TTN102	40mm	Cast	1		each		To fit various ie CSN, AgroPlow, Clough Replaces CSN Part No. 989-881
--------	------	------	---	--	------	--	--



BB Duncan						Duncan MK111, MKIV & 1V	
-----------	--	--	--	--	--	-------------------------	--

BB Duncan	40mm	Cast	1				To fit Clough late models
BB Duncan-AT Ag Tuff	40mm	Cast	1				87% more tungsten tile than Original OEM!!!



Conservapak Knife Point						Conservapak	
-------------------------	--	--	--	--	--	-------------	--

CONS-001 TG Tile & AT	16mm	1/2"	Standard		each		Conservapak Knife Point with Tungsten Tiles & Ag-Tuff combination. Use 3/8" Roll Pin Replaces John Deere AA69277
CONS-002 TG* Tile & AT	16mm	1/2"	Longer	Quit Price			
CONS-003 TG Tile & AT	16mm	1/2"	70 Degree		each		



Ag Seeder Points						Big Rig, Mason, Gyrat & Banana Farming	
------------------	--	--	--	--	--	--	--

WP-Z10AT for 16mm Adapter		Cast	1		each		Ag seeder point with TG suits Gyrat, Mason Fits 16mm male adapter.
---------------------------	--	------	---	--	------	--	---





Agpoint Australia




Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--


McCoy Cast Knife Points	Slimwedge
--------------------------------	------------------

SW323KB124	4"	12mm	1		each		Fits North American field cultivators	
SW323KB125	5"	12mm	1		each		FlexiCoil, IHC-Vibrashank, Hesston, Hiniker	
SW323KB164	4"	16mm	1		each		& Bourgault, Horwood Bagshaw Scaribar,	
SW323KB166	6"	16mm	1		each		Gason 6100, Morris etc.	

McCoy cast knife points have tungsten tiles fitted to key wear areas (leading edge & wings). We use a superior & unique grade of steel which offers excellent ductility properties whilst providing superior wear performance. All McCoy cast Slim Wedge knife points include two holes at the top of the neck casting so a split pin (or similar) can be used to lock the point in place for severe operating conditions.

*Denotes to be deleted from range when stocks have been sold

McCoy Cast Wing Seeder Points	Slimwedge
--------------------------------------	------------------

SW323SS164	4"	16mm	1		each		Fits North American field cultivators	
SW323SS166TG*	6"	16mm	1		each	Quit Price	FlexiCoil, IHC-Vibrashank, Hesston, Hiniker & Bourgault, Horwood Bagshaw Scaribar, Gason 6100, Morris etc.	

McCoy Bolt-On Cast Knife Points	Fits Various
--	---------------------

CP02125	5"	12mm	1		each		To suit tines with two 7/16" or 1/2" bolt holes	
CP02165	5"	16mm	1		each		@ 44 - 57mm centres. Fully tungsten tiled	

SW323KB124

SW323KB164

SW323KB166

SW323SS166

CP02165

CP02125



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points


Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

Boss Bolt On Super Sower Points	Fits Various
--	---------------------

BOSS Single Bolt Hole Wing Seeder	50mm	Cast	1	each	Bolt On Super Sower with 50mm tiled wing. Suit most single bolt cultivator tines. Leading edge fitted with 70mm tungsten tile TG tiles fitted across the underside of wing. Use 1 only 7/16" x 2 1/2" Grade 9 hex head B&N (Use bolt P/N CB716-212)	
BOSSII Double Bolt Hole Wing Seeder <i>Some Adjustment may be necessary to achieve correct operating angle with some Nth American Chisel Tines</i>		Cast	1	each	Heavy Duty for use on Australian & North American Chisel Plow Tines. 50mm Wing, Tungsten Tile fitted to underside of wing. Suits Higher Break-out tines. Use 2 Grade 9 Hex Head Bolts 1/2" P/N CB12-212	
BOSSIII Single Bolt Hole Knife Point		Cast	1	each	Bolt on Blade with Tungsten Tiles up the face Suit most single bolt Cultivator Tines Use 1 only 7/16" Grade 9 hex head B&N (Use bolt P/N CB716-212)	
AQUA101 Single Bolt Hole Aqua Point		Cast	1	each	Cast Seeder point modelled on the popular Aqua Ammonia points. Suits most single bolt Cultivator Tines with 7/16" bolt hole. Use 1 only 7/16" Grade 9 hex head B&N (Use bolt P/N CB716-212)	





Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--


Janke System	Janke & Boss Engineering							
---------------------	-------------------------------------	--	--	--	--	--	--	--

JAN01	35mm	Cast	1				Complete with special pin and locking bush. With Tungsten Tile fitted on tip. Quality High Nickel casting for superior performance and extended service life.	'JAN01
JAN02		Cast	1				Approximately 30mm Longer deeper than JAN01. 12mm Knife Suit Janke adapter.	
JAN04		Cast	1				Suit Janke & Boss Eng. adapters as above Longer nose than Jan01	'JAN02
JAN300 Shear Pin			1				Suits Janke & Boss Engineering Points	
JAN301 Nylon Bush							Suits Janke & Boss Engineering Points	




MINI-T BAKER BOOT	Caldow							
--------------------------	---------------	--	--	--	--	--	--	--

MINI-T		Cast	1				8mm dia holes @ 32mm centres Caldow type to suit CSN & similar seed drills	MINI-T
--------	--	------	---	--	--	--	---	--------



Replacement Wear Tip	Aitchison							
-----------------------------	------------------	--	--	--	--	--	--	--

A2382		Cast	1				Replacement Tip Aitchison Baker Boot	
-------	--	------	---	--	--	--	--------------------------------------	--



A2382 replacement tip



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

GRIZZLY RIPPER POINT	Grizzly
-----------------------------	----------------

8424RP	Cast	1					Suits Grizzly Curved "Deep Digger" Ripper Shank & Bonel Ripper
							<u>Not Suitable:</u> for the Grizzly "Jack Ripper" with a straight shank.




McCoy ARMIN: Controlled Depth Seeding Point	Bolt On Various
--	------------------------

ARCP2121	12mm	Cast	1				47° x 1 3/4" centres. 47° Tynes only. Takes 1/2" bolts
----------	------	------	---	--	--	--	--



McCoy Armin Cast Knife Points: Controlled Depth Seeding Point	Armin Slimwedge
--	------------------------

ARCP20000L	12mm	1	each				Armin Point Long: Soil Disturbance approx. 35mm below closing wing.
ARCP20000S	12mm	1	each				Armin Point Short: Soil Disturbance approx. 25mm below closing wing.
ARCP20001L	12mm	1	each				Armin Point Long: Soil Disturbance approx. 35mm below closing wing.
Same as ARCP2000L above but drilled for liquid fertiliser							
ARCP20001S	12mm	1	each				Armin Point Short: Soil Disturbance approx. 25mm below closing wing.
Same as ARCP2000S above but drilled for liquid fertiliser							





Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

Direct Drill STYLE SECTION:

Direct Drill System: Specialised Application Points	McCoy Armin
--	--------------------

ARDMCA1*	50mm	10mm	PRICED TO QUIT		Armin Point Long : Soil Disturbance approx. 50mm below closing wing.
ARDMCA2	25mm	10mm	1	each	Armin Point Short : Soil Disturbance approx. 25mm below closing wing.

The McCoy Armin has a Patented, in-built closer wing. The leading knife blade cuts the slot and provides for deep soil disturbance.

Immediately behind, and prior to seed delivery, the in-built closing wing forms a consistent depth seed bed over the slot:

giving better control of seed placement and sowing depth.



Direct Drill Points	Tile & Agtuff Grit Combo
----------------------------	-------------------------------------

12mm Standard					
DDP12T	12mm	Cast	1	each	Tile 20 x 12 x 3 and Agtuff on nose.
DDP12T1	12mm	Cast	1	each	DDP12T PlusAgtuff around gills of Point
WM1050-XP	12mm	Cast	1	"NEW" each	90mm Long Nose TG tiles on nose & gills
12mm Long					
DDP12LT	12mm	Cast	1	each	Tile 20 x 12 x 3 and Agtuff on nose.
DDP12LT1	12mm	Cast	1	each	12LT PLUS Agtuff around gills
DDP12LTTT	12mm	Cast	1	each	3 Tiles Fitted
12mm Long With Wing					
DDP12LKT1*	12mm	Cast	PRICED TO QUIT		Tile Plus Agtuff around gills



Agpoint Australia



Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

16mm Standard

DDP16T	16mm	Cast	1		each		25mm tile + Agtuff
--------	------	------	---	--	------	--	--------------------

DDP18WT1



18mm Wide

DDP18WT	18mm	Cast	1		each		Tile 25 x 19 x 3 Plus Agtuff up nose
DDP18WT1	18mm	Cast	1		each		18WT plus Agtuff around gills

18mm Wide Long

DDP18WLT*	18mm	Cast	PRICED TO QUIT				Tile 25 x 19 x 3 Plus Agtuff up nose
-----------	------	------	-----------------------	--	--	--	--------------------------------------

DDP30T1



30mm Standard

DDP30T	30mm	Cast	1		each		Plain - 30mm wing Tile 25 x 6 x 3 on nose.
DDP30T1	30mm	Cast	1		each		Plain - 30mm wing Tile 25 x 6 x 3 on nose + Agtuff on nose

DDP30T4	30mm	Cast	1		each		Agtuff around Gills, Wings & below Tile
---------	------	------	---	--	------	--	---

75mm Standard

DDP75T	75mm	Cast	1		each		Plain - 75mm wing Tile 25 x 6 x 3 on nose.
--------	------	------	---	--	------	--	--



Agpoint Australia




Wear Enhanced....Ag-Tuff..Direct Drill & McCoy Cast Points

Recommended Retail Price List No. 179 Effective 1st November 2023 (GST Not Included)

Prices Subject To Change Without Prior Notice. (Note most product within our range can be Ag-Tuffed subject to volume, contact our sales office for a quotation)

AGPOINT PART NO.	Size	Thickness	Bundle Qty	Bundle Kg	Drum Qty	Unit Price Ea	Application (Guide Only)	Picture for illustration purposes only
------------------	------	-----------	------------	-----------	----------	---------------	--------------------------	--

Direct Drill R-Clips			High Tensile 5mm R-Clip		
DDRC	5mm	10		each	Lock points onto Female Adapters -Not supplied Need to add to order if required



Direct Drill Tine Adapters					
DDA1 Female Adapter: Curved Tine	Cast	1		each	2 bolt adapter - 1/2" bolts
DDA3	Cast	1		each	Butt weld type Adapter suit any tine
DDA3S* USE AC008 (cheaper)	Cast	1		Quit Price	DDA3 with square top
DDA4H Female Adapter: Flat Tine	Cast	1		each	DDA4 Heavy Duty Adapter for Australian two bolt cultivator tines
DDA6	Cast	1		each	Adapter to use DDP range with McCoy SW323 range
DDAC2	Cast	1		each	Cultivator adapter with 7/16" hole
DDAS2	Cast	1		each	Scarifier Adapter -suits C/S Scariseeders Napier, & John Shearer F/Wing

